Ver. HB221103

GoldBand™ 3-color Low Range Protein Marker (2.7-40 kDa)

Product description

This product consists of 9 highly purified and prestained proteins ranging in molecular weight from 2.7 kDa to 40 kDa(2.7,4.2,6.5,10,15,20,25,30,40 kDa), among them, 40 kDa is orange band, 10 kDa is green band. The labeled apparent molecular weight was calibrated by the molecular weight Marker of standard non-prestained proteins. Using this product, the state of protein electrophoresis and the effect of membrane transfer can be dynamically observed. After SDS-PAGE electrophoresis, the color bands were transferred to PVDF membrane and NC membrane. This product is conveniently packaged and is a ready-to-use product, do not heat, dilute or add reducing agents! After the prestained protein is combined with the dye, in different buffer systems, there is displacement. This product is only for reference when judging the molecular weight of the target protein.

Components

Components No.	Name	20344ES72	20344ES76	20344ES90
20344	GoldBand™ 3-color Low Range Protein Marker (2.7-40 kDa)	250 μL	2×250 μL	10×250 μL

Specifications

Product Type Specs	Protein Ladder	
Size Range	2.7 kDa to 40 kDa	
Number of Markers	9	
Molecular Weight	2.7,4.2,6.5,10,15,20,25,30,40 kDa	
Stain Type	40 kDa is orange band, 10 kDa is green band, the rest are blue bands	
Storage Buffer	62.5 mM Tris-H ₃ PO ₄ (pH 7.5), 2 mM EDTA, 2% (W/V) SDS, 33% (W/V) Glycerol, 5 mM DTT, 0.02% (V/V) proclin300	
Ready to Load	ready-to-use product, do not heat, dilute or add reducing agents	

Shipping and Storage

The product is shipped with dry ice and can be stored at -15° C $\sim -25^{\circ}$ C for two years. For regular use, it can be placed at 4° C, valid for three months. It is recommended to store in aliquots to avoid repeated freezing and thawing!

Instruction

- 1. After the product is thawed at room temperature, mix gently to fully dissolve the precipitate.
- 2. Then take an appropriate amount of this product into the gel hole. mini-gel: 3-5 $\,\mu$ L; Western blotting: 1.5-2.5 $\,\mu$ L; when the thickness of the gel is greater than 1.5 mm, the loading volume can be appropriately increased.

Notes

1. The product needs to be returned to room temperature before use to fully dissolve the precipitate. Incomplete



protein denaturation at low temperature may lead to different degrees of dispersion of electrophoresis bands.

- 2.In western blot experiments, you have to pay attention to small molecule specificity. At present, conventional transfer buffer 2.7 kDa needs to reduce the current and shorten the time, otherwise it will pass through the membrane.
- 3. This product contains SDS, and the protein has been denatured, so it should not be used as a molecular weight reference standard for natural protein molecular electrophoresis.
- 4. The product will have deviations in protein size under different electrophoresis conditions, but after they are calibrated by non-prestained protein standards in the same buffer system, they can be used for protein determination of similar molecular weights.
- 5. At low concentration of gel, low molecular weight protein will swim on the dye front.
- 6. This product is conveniently packaged and is a ready-to-use product, do not heat, dilute or add reducing agents!
- 7. Please wear the necessary PPE, such lab coat and gloves, to ensure your health and safety!
- 8. For research use only!




Figure 1. The effect of GoldBand™ 3-color Low Range Protein Marker (2.7-40 kDa)